

# 2016 August Flood LDEQ Incident Command Incident Action Plan (IAP)



A picture provided by Kurt Reaux Construction, LLC shows a flooded area of Youngsville, LA, on Aug. 14, 2016.


**Operational Period:**

**Starting: 08:00 / 21 Aug 16**

**Ending: 08:00 / 22 Aug 16**



<b>Single Point of Contact (SPOC)</b>	<b>225-219-3640</b>
<b>Hotline Numbers</b>	
<b>DEQ</b>	<b>888-763-5424</b>
<b>EPA</b>	<b>866-EPA-SPIL</b>
<b>NRC</b>	<b>800-424-8802</b>
<b>Louisiana State Police (LSP)</b>	<b>225-925-6595</b>

1. Incident Name		2. Operational Period		Date / Time		INCIDENT OBJECTIVES ICS 202	
2016 August Flood		From: 08/21/2016 / 08:00 To: 08/22/2016 / 08:00					
3. Incident Objective(s)							
1. Ensure health and safety of responders and the public by conducting operations in accordance with the approved site safety plan. 2. RNA Assessment Teams are completed 3. Monitor Requests for New Debris Sites 4. Continue to respond to complaints/concerns from citizens							
4. Operational Period Command Emphasis (Priorities, Key Decisions for Operational Period)							
1. Complete detailed 214s as required, but it is not necessary to submit them to IC at the end of every day. 2. Develop plan for appropriate ICP staff; evaluate and provide appropriate "right sizing" of the organization to correlate with operational needs. 3. Reaching out to FEMA/ EPA for assistance with household hazardous waste, white goods, and orphan containers. 4. Do not put any photographs of flooding and damage on <u>ANY</u> type of social media. 5. The Incident Command main phone number is (225) 219-1221							
5. Weather Forecast							
Baton Rouge Area: Sunday, August 21 - 50% chance of scattered thunderstorms High temp 88 Monday, August 22 - 90% chance of scattered thunderstorms High temp 89							
6. Safety Objectives							
1. <b>Staph infections</b> – due to recent outbreak of severe bacterial infections, all persistent rashes and/or swelling around cuts/abrasions must be reported to the Site Safety Officer. 2. <b>Driving</b> – Be aware of when driving since contractors are coming here to work from other states that are not familiar with Louisiana area roadways. Also be aware that in many areas, red lights are not functioning. Please use appropriate caution when approaching an intersection where this is the case. 3. <b>Road Hazards</b> - Trucks are loaded with debris and may not have the appropriate covering to prevent falling out during transport. Be alert, keep your distances, follow the laws, and drive safely. 4. <b>Debris Hazards</b> - Use a tool first when disturbing debris or overturning containers, and never use your hands. If needed, wear snake chaps during any operation with the potential to encounter snakes. If bitten or stung, seek medical assistance immediately, even if you're certain it wasn't a poisonous species. 5. <b>Reporting Injuries</b> – it is very crucial to report all injuries to your Supervisor or Safety Officer.							
Attachments (Mark if Attached)							
<input checked="" type="checkbox"/> ICS 203 - Organizational Assignment List <input checked="" type="checkbox"/> ICS 204 - Assignment List <input type="checkbox"/> ICS 205 - Incident Radio Communications Plan <input checked="" type="checkbox"/> ICS 205a - Incident Communications Plan <input checked="" type="checkbox"/> ICS 206 - Medical Plan		<input checked="" type="checkbox"/> ICS 207 - Incident Organization Chart <input type="checkbox"/> ICS 215 - Operational Planning Worksheet <input checked="" type="checkbox"/> ICS 215a - IAP Safety Analysis <input type="checkbox"/> ICS 230 - Daily Meeting Schedule <input type="checkbox"/> Other: Safety Message		<input type="checkbox"/> Other: Emergency Transportation Services <input type="checkbox"/> Other: Hospital Directory <input type="checkbox"/> Other: Division Orphan Container Maps <input type="checkbox"/> Other: Weather Forecast <input type="checkbox"/> Other: Job Hazard Analysis		<input checked="" type="checkbox"/> Approved Site Safety Plans Located at: ICP, LDEQ	
7. Prepared by: EPA Resource Unit:				Date	Time		
Taylor Alexander, LDEQ				08/20/2016	08:00		
8. Reviewed by:				Date	Time		
Taylor Alexander, LDEQ				08/20/2016	12:30		
9. Approved by: Incident Commander:				Date	Time		
Wayne Slater, Incident Commander, LDEQ 				08/20/2016	13:00		





<b>1. Incident Name</b>		<b>2. Operational Period    Date   /   Time</b>		<b>3. ESF</b>		<b>Assignment List ICS 204</b>	
2016 August Flood		From:    08/21/2016 / 08:00 To:        08/22/2016 / 08:00		10			
<b>4. Branch</b>		<b>5. Division/Group/Staging</b>					
Southwest Branch		Facility Damage Assessment-SWRO					
<b>6. Operations Personnel</b>							
ICS Position		Name		Affiliation		Contact # (s)	
Operations Section Chief		Margaret Parker		LDEQ			
Branch Director		Billy Eakin		LDEQ		337.491.2756	
QA Coordinator		Chrissie Gubancsik/Marcie Sharpe		LDEQ		337.491.2806 /337.491.2713	
<b>7. Resources Assigned</b> <span style="float: right;">"X" indicates 204a attachment with additional instructions</span>							
Strike Team/Task Force/ Resource Identifier		Team Composition		Contact Info. #		# of Persons	
Reporting Info/Notes/Remarks							
SW-FDA-1	Billy Eakin (TL), Chrissie Gubancsik	337.515.7308; 337.304.1854	2	08/21/2016- stand by for further instruction		<input type="checkbox"/>	
						<input type="checkbox"/>	
						<input type="checkbox"/>	
						<input type="checkbox"/>	
						<input type="checkbox"/>	
						<input type="checkbox"/>	
						<input type="checkbox"/>	
						<input type="checkbox"/>	
<b>8. Work Assignments</b>							
*stand by Assess industrial facilities in impacted parishes. Facilities are listed in the Response Manager Facilities/spills modules. Complete RM entries per guidance documents and submit for QA review to Branch QA Coordinator.							
<b>9. Special Instructions</b>							
Minimum Level D PPE as needed, ear plugs, hard hats for overhead hazards, steel-toed shoes, and work gloves (nitrile duty gloves, leather gloves). Beware of floodwaters, slips, trips, falls, unknown materials within debris, security, handling of unknown chemicals, and the movement of containers. It is recommended that insole inserts be used while performing operations in debris fields to prevent foot injuries.							
<b>10. Communications (radio and/or phone contact numbers needed for this assignment)</b>							
<b>Name/Function</b>				<b>Radio: Freq/System/Channel</b>			
All Teams				Radio set to zone *DEQ-BR3			
<b>Emergency Communications: <u>Call 911 and your Operations Chief</u></b>							
<b>11. Prepared by</b>		<b>Date / Time</b>		<b>12. Reviewed by</b>		<b>Date / Time</b>	
Chrissie Gubancsik		8/19/2016 / 09:50		Taylor Alexander, PSC		08/20/2016 / 08:15	
				Wayne Slater		08/20/2016 / 14:00	

<b>1. Incident Name</b>		<b>2. Operational Period    Date   /   Time</b>		<b>3. ESF</b>		<b>Assignment List ICS 204</b>	
2016 August Flood		From: 08/21/2016 / 08:00 To: 08/22/2016 / 08:00		10			
<b>4. Branch</b>		<b>5. Division/Group/Staging</b>					
EPA		Response					
<b>6. Operations Personnel</b>							
ICS Position		Name		Affiliation		Contact # (s)	
<b>Operations Section Chief</b>							
Branch Director		Gary Moore		EPA		214-789-1627	
Group Supervisor		Bryant Smalley		EPA		214-215-1783	
<b>7. Resources Assigned</b> <span style="float: right;">"X" indicates 204a attachment with additional instructions</span>							
Strike Team/Task Force/ Resource Identifier		Leader		Contact Info. #		# of Persons	
						Reporting Info/Notes/Remarks	
EPA Team 1		Robert Sherman		225-573-9785		2 Weston Solutions Office 13702 Coursey Blvd, Bldg 7 Suite A Baton Rouge, LA 70808	
EPA Team 2		Eric Hadwin		225-773-9104		2 Weston Solutions Office 13702 Coursey Blvd, Bldg 7 Suite A Baton Rouge, LA 70808	
<b>8. Work Assignments</b>							
EPA Team 1; Continue oversite of Lard Oil Company, Inc.Oil Spill and Residential Cleanup							
EPA Team 2: Remain available as necessary for responding to specific incidents directed by Operations Section							
<b>9. Special Instructions</b>							
Minimum Level D PPE as needed, ear plugs, hard hats for overhead hazards, steel-toed shoes, and work gloves (nitrile duty gloves, leather gloves). Beware of floodwaters, slips, trips, falls, unknown materials within debris, security, handling of unknown chemicals, and the movement of containers. It is recommended that insole inserts be used while performing operations in debris fields to prevent foot injuries.							
<b>10. Communications (radio and/or phone contact numbers needed for this assignment)</b>							
Name/Function				Radio: Freq/System/Channel			
Emergency Communications: <u>Call 911 and your Operations Chief</u>							
<b>11. Prepared by</b>		<b>Date / Time</b>		<b>12. Reviewed by</b>		<b>Date / Time</b>	
Resource Manager				Taylor Alexander, PSC			
Taylor Alexander		08/20/2016 / 11:00					
				<b>13. Reviewed by (IC)</b>		<b>Date / Time</b>	
				Wayne Slater		08/20/2016 / 13:00	

<b>1. Incident Name</b>		<b>2. Operational Period    Date   /   Time</b>		<b>3. ESF</b>		<b>Assignment List ICS 204</b>	
August 2016 Flood		From: 08/21/2016 / 8:00 To: 08/22/2016 / 8:00		10			
<b>4. Branch</b>		<b>5. Division/Group/Staging</b>					
		Emergency Response Group					
<b>6. Operations Personnel</b>							
ICS Position		Name		Affiliation		Contact # (s)	
Incident Commander		Ed Ballow		LDEQ		225-219-1211	
Group Supervisor		Bryan Riche		LDEQ		225-219-2966	
<b>7. Resources Assigned</b> <span style="float: right;">"X" indicates 204a attachment with additional instructions</span>							
Strike Team/Task Force/ Resource Identifier		Leader		Contact Info. #		# of Persons	
						Reporting Info/Notes/Remarks	
Team 1-ARO		Kirby Brannon				1 Respond to emergencies as needed <input type="checkbox"/>	
Team 2-KCRO		Chris Rajewski				1 Respond to emergencies as needed <input type="checkbox"/>	
Team 3 – SWRO		Danny Chapman				1 Respond to emergencies as needed <input type="checkbox"/>	
Team 4 – SERO/CRO		Jeff Parham, Holly Hermann				2 Respond to emergencies as needed <input type="checkbox"/>	
						<input type="checkbox"/>	
						<input type="checkbox"/>	
						<input type="checkbox"/>	
<b>8. Work Assignments</b>							
Respond to emergencies as needed.							
<b>9. Special Instructions</b>							
Minimum Level D PPE as needed, ear plugs, hard hats for overhead hazards, steel-toed shoes, and work gloves (nitrile duty gloves, leather gloves). Beware of floodwaters, slips, trips, falls, unknown materials within debris, security, handling of unknown chemicals, and the movement of containers. It is recommended that insole inserts be used while performing operations in debris fields to prevent foot injuries.							
<b>10. Communications (radio and/or phone contact numbers needed for this assignment)</b>							
Name/Function				Radio: Freq/System/Channel			
Team 1-4				Radio set to zone *DEQ-BR3			
Emergency Communications: <u>Call 911 and your Operations Chief</u>							
<b>11. Prepared by</b>		<b>Date / Time</b>		<b>12. Reviewed by</b>		<b>Date / Time</b>	
Taylor Alexander, PSC		08/20/2016 / 08:00		Taylor Alexander, PSC		08/20/2016 / 14:00	
				Wayne Slater		08/20/2016 / 14:30	

<b>1. Incident Name</b>	<b>2. Operational Period</b>	<b>Date / Time</b>	<b>INCIDENT COMMUNICATIONS PLAN ICS 205a</b>	
2016 August Flood	From: 08/21/2016 / 0800 To: 08/22/2016 / 0800			
<b>3. 2016 August Flood Louisiana Communication Contact List</b>				Page 1 of 3
NAME	POSITION	PHONE NUMBER	AGENCY AFFILIATION	EMAIL
ALEXANDER, Taylor	Resource Unit Leader	(225) 319-3811	LDEQ OEC ENF	taylor.alexander@la.gov
BALLOW, Ed	Incident Commander	(225) 219-3525	LDEQ OES AP MANUF	ed.ballow@la.gov
BORDES, Evan	Logistics Section Chief	(225) 219-3160	LDEQ OMF FS	evan.bordes@la.gov
BRANNON, Kirby	Emergency Response Group ARO ER 1	(337) 262-5584	LDEQ OEC INSP ARO	kirby.brannon@la.gov
CHAPMAN, Dan	Emergency Response Group SWR ER 3	(337) 491-2750 ER 7	LDEQ OEC AD ER	danny.chapman@la.gov
EAKIN, Billy	Southwest Branch SWR FDA 1 Branch Director	(337) 515-7308 SW 1	LDEQ OEC INSP SWRO	billy.eakin@la.gov
FABRE, Angela	Time Unit Leader	(225) 219-3881	LDEQ OMF FS FISCL	angela.fabre@la.gov
FALKE, Fran	Financial Section Chief	(225) 219-3864	LDEQ OMF FS FISCL	fran.falke@la.gov
GUBANCSIK, Chrissie	Southwest Branch Facility Damage Assessment SWR FDA 1 QA Coordinator	(337) 304-1854 SW 40	LDEQ OEC USTRD	chrissie.gubancsik@la.gov
HADWIN, Erik	EPA Response EPA 2 Team Leader	(225) 773-9104	EPA START - WESTON	erik.hadwin@westonsolutions.com
HERRMANN, Holly	Emergency Response Group SERO/CRO 4	(504) 736-7749 SE 25	LDEQ OEC INSP SERO	holly.herrmann@la.gov
LANGLEY, Gregory	Information Officer	(225) 219-3964	LDEQ OSECR PUB INFO	gregory.langley@la.gov
LUKE, Phyllis	Data Management Unit/Advisor	(225) 993-1971	LDEQ OEC INSP ADM	phyllis.luke@la.gov
MCCORMICK, Rhonda	Acadiana Branch ARO FDA 2 Branch Director	(337) 298-7277 ARO 31	LDEQ OEC INSP ARO	rhonda.mccormick@la.gov
MESSINA, Andrew	Planning Section Chief	(225) 219-3676	LDEQ OEC REM G2	andrew.messina@la.gov
MOORE, Gary	EPA Response EPA Agency Representative & Branch Director	(214) 789-1627	EPA	moore.gary@epa.gov

<b>1. Incident Name</b>		<b>2. Operational Period</b> <b>Date / Time</b>		<b>INCIDENT COMMUNICATIONS PLAN ICS 205a</b>		
2016 August Flood		From: 08/21/2016 / 0800 To: 08/22/2016 / 0800				
<b>3. 2016 August Flood Louisiana Communication Contact List</b>					Page 2 of 3	
<b>NAME</b>	<b>POSITION</b>	<b>PHONE NUMBER</b>	<b>AGENCY AFFILIATION</b>	<b>EMAIL</b>		
PARHAM, Jeffrey	Emergency Response Group SERO/CRO 4	(504) 736-7766	LDEQ OEC REM	jeffrey.parham@la.gov		
PARKER, Margaret	Operations Chief	(206) 200-4682 CRO 24	LDEQ OEC INSP CRO	margaret.parker@la.gov		
PRICE, Karen	Liaison/Advisor	(225) 936-8832 ER 2	LDEQ OEC INSP ADM	karen.price2@la.gov		
RAJEWSKI, Christopher	Emergency Response Group KCO ER 2	(318) 487-5589	LDEQ OEC INSP ARO	chris.rajewski@la.gov		
RICHE, Bryan	Rapid Needs Assessment & Emergency Response Senior State Official	(225) 219-2966 ER 10	LDEQ OEC AD ADM	bryan.riche@la.gov		
SCHEXNAYDER, Sharon	Procurement Unit Leader	(225) 219-3812	LDEQ OMF FS FISCL	sharon.schexnayder@la.gov		
SHARPE, Marcie	Southwest Branch Facility Damage Assessment SWR QA Coordinator	(337) 491-2713	LDEQ OEC INSP SWRO	marcie.sharpe@la.gov		
SHERMAN, Robert	EPA Response EPA 2 Team Leader	(225) 573-9785	EPA START - WESTON	robert.sherman@westonsolutions.com		
SLATER, Wayne	Safety Officer	(225) 219-3729	LDEQ OEC ENF WTR	wayne.slater@la.gov		
SMALLEY, Bryant	EPA Response Group Supervisor	(214) 789-9587	EPA	smalley.bryant@epa.gov		
ST. PIERRE, Robin	Documentation Unit Leader	(225) 219-3641	LDEQ OEC INSP ADM	robin.st.pierre@la.gov		
TONEY, Heather	Situation Unit Leader	(225) 219-3658	LDEQ OEC INSP ADM	heather.toney@la.gov		
<b>4. Prepared by:</b>			<b>Date:</b>	<b>Time</b>		
Robin St. Pierre, LDEQ, Documentation Unit Leader			8/20/2016	14:06		



1. Incident Name	2. Operational Period	Date / Time	INCIDENT COMMUNICATIONS PLAN ICS	
2016 August Flood		From: 08/21/2016 / 0800 To: 08/22/2016 / 0800	205a	
3. 2016 August Flood Louisiana Communication Contact List			Page 3 of 3	
NAME	POSITION	PHONE NUMBER	AGENCY AFFILIATION	EMAIL


<b>1. Incident Name</b>		<b>2. Operational Period</b>		<b>Date / Time</b>		<b>MEDICAL PLAN ICS 206 - EPA</b>							
2016 August Flood				From: 08/21/2016 / 08:00 To: 08/22/2016 / 08:00									
<b>3. Incident Medical Aid Stations</b>													
<b>Medical Aid Stations</b>		<b>Location</b>				<b>Paramedics</b>							
						Yes      No							
<b>4. Ambulance Services</b>													
<b>Name</b>		<b>Address</b>		<b>Phone</b>		<b>Paramedics</b>							
						Yes      No							
Acadian Ambulance		300 Hopkins Street Lafayette , LA		911 or 800.259.1111		X							
EBR EMS		3801 Harding Blvd, Baton Rouge, LA		911		X							
Livingston/Ascension/Tangipahoa EMS				911		X							
<b>5. Hospitals</b>													
<b>Name</b>		<b>Address</b>		<b>Travel Time</b>		<b>Phone</b>		<b>Helipad</b>		<b>Burn Center</b>			
				Air	Ground			Yes	No	Yes	No		
Lafayette General Medical Center		1214 Coolidge St. Lafayette, LA				337.289.8067		X			X		
North Oaks Medical Center		15790 Paul Vega, MD Dr., Hammond, LA				985.230.1300 (ER)		X			X		
Our Lady of the Lake Regional Medical Center		5000 Hennessey Blvd., Baton Rouge, LA				225-765-8853		X			X		
Baton Rouge General-Bluebonnet		8585 Picardy Ave, Baton Rouge, LA				225-763-4438		X			X		
Abbeville General		118 N. Hospital Dr. Abbeville, LA				337.898.6471		X			X		
Terrebonne General		8166 Main St. Houma				985.873.4002		X			X		
Iberia Medical Center		2315 East Main St. New Iberia, LA				337.364.0441		X			X		
Thibodaux Regional Medical Center		602 N. Acadia Rd. Thibodaux, LA				985.493.4727		X			X		
St. Elizabeth		1125 W. Hwy 30 Gonzales, LA				225.647.5000		X			X		
<b>6. Medical Emergency Procedures</b>													
<b>LDEQ:</b> Seek treatment at the nearest facility. Report all incidences to the Safety Office on duty. Wayne Slater, Safety Officer -225-721-1831 Ed Ballow (Incident Command) 225-400-4171													
<b>7. Prepared by (Medical Unit Leader)</b>			<b>Date</b>		<b>Time</b>		<b>8. Reviewed by (DEQ/EPA Safety Officers)</b>			<b>Date</b>		<b>Time</b>	
Ed Ballow			8/20/2016		10:50		Wayne Slater			8/20/2016		10:50	


Incident Name: 2016 August Flood


Operational Period: 08/21/2016 to 08/22/2016

Date: 08/20/2016

Time: 14:30







1. Incident Name		2. Operational Period		Date / Time		INCIDENT ACTION PLAN SAFETY ANALYSIS ICS 215a															
2016 August Flood Event		From:		08/21/2016 / 08:00												To:		08/22/2016 / 08:00			
4. Risk												5. Risk Mitigations									
Division / Group	Heavy Equipment	Heat Stress	Electrical	Traffic	Slips/Trips/Falls	Snakes, gators, dogs	Hazardous Materials Operations	Biological	Aerial Overflights	Water Safety	Proper PPE										
Hazardous Debris	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Be aware of heavy equipment. Hydrate. Use care when approaching drums, compressed gas cylinders, and do not attempt handle or open. Watch out for snakes, alligators, and dogs. Min Level D (safety glasses/side shields, watertight boots/steel shanks, hardhats if overhead dangers, gloves, N-95 respiratory protection for dust, mold. Ensure all personnel have emergency contact numbers, appropriate evacuation procedures and training on communication equipment.				
Safety Recon	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hydrate. Minimum Level D (safety glasses with side shields, boots with steel shanks, hardhats if overhead dangers, gloves, N-95 protection for dusty conditions. Hearing protection in high noise area. Ensure all personnel have emergency contact numbers, appropriate evacuation procedures and training on communication equipment.				
Environmental Assessment	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hydrate. Minimum Level D (safety glasses with side shields, boots with steel shanks, hardhats if overhead dangers, gloves, N-95 protection for dusty conditions. Hearing protection in high noise area. Ensure all personnel have emergency contact numbers, appropriate evacuation procedures and training on communication equipment. Air monitoring, MultiRAE, radiation, etc., if needed				
Recon	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hydrate. Minimum Level D (safety glasses with side shields, boots with steel shanks, hardhats if overhead dangers, gloves, N-95 protection for dusty conditions. Hearing protection in high noise area. Ensure all personnel have emergency contact numbers, appropriate evacuation procedures and training on communication equipment.				
Water Operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hydrate. Minimum Level D. Be aware of submerged debris and sharp objects that can damage water craft. Watch out for indigenous wildlife. Maintain safe footing when entering and exiting water craft. Be aware for potential downed power lines. Watch for bubbles and unusual odors around gas pipelines. Use only approved Coast Guard personal flotation device (PFDs). Ensure water craft is equipped with CG approved water rescue equipment. Ensure all personnel have emergency contact numbers, appropriate evacuation procedures and training on communication equipment odors around gas pipelines.				



<b>Pressurized Containers Removal</b>																		Continuously monitor air quality for hazardous atmospheres using a 4 gas monitor with a PID. If leaking containers are encountered, contact hazardous materials personnel for removal. Wear appropriate PPE for the hazards encountered; at a minimum Level D (safety glasses with side shields, boots with steel shanks, hardhats if overhead dangers, gloves, N-95 respiratory protection for dusty conditions. Hearing protection in high noise area. Ensure all personnel have emergency contact numbers, appropriate evacuation procedures and training on communication equipment.
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

6. Prepared By: (Name and Position)	Date	Time
Wayne R. Slater, Safety Officer	08/20/2016	14:00

IAP SAFETY ANALYSIS	ICS 215a
<p>The Department is transitioning from search &amp; rescue mode to recovery. During the current operational period the focus will be on Rapid Needs Assessment (RNA), water reconnaissance, and telephone notifications. Personnel operating in the field should be aware of ongoing high water risks in many areas. Also, the potential exists for contact with dangerous wildlife (poisonous snakes, alligators, fire ants, etc.) Typical afternoon thunderstorms have the potential for frequent cloud to ground lighting, seek shelter with approaching storms. All staff has Stop Work Authority if the work situation presents unnecessary or undue hazards. As always, report all injuries to the Safety Officer.</p>	

# 2016 August Flood Event

## Overall Parish Assessment Completion Status




**Facilities Assessments  
8-19-2016**

### Status

- Assessments Completed
- Assessments Remaining

### Declaration Category

- Federal
- State



# 2016 August Flood Event

## Overall Parish Assessment Completion Status



**Wastewater Treatment  
Plant Assessments  
8-19-2016**

### Status

- Assessments Completed
- Assessments Remaining

### Declaration Category

- Federal
- State

